

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Trade name : RE-GEN™ Pit and Fissure Sealant

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Dental product, dental pit and fissure sealant

#### 1.3. Supplier

Inter-Med, Inc. / Vista Dental Products  
 2200 South Street  
 Racine, WI 53404  
 T: (877)-418-4782

#### 1.4. Emergency telephone number

Emergency number : 800-424-9300 (North America)  
 +1 (703) 527-3887 (International)

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2A	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Reproductive toxicity Category 1B	May damage fertility or the unborn child

#### 2.2. GHS Label elements, including precautionary statements

##### GHSUS labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

Causes skin irritation  
 May cause an allergic skin reaction  
 Causes serious eye irritation  
 May damage fertility or the unborn child

Precautionary statements (GHS US) :

Obtain special instructions before use.  
 Do not handle until all safety precautions have been read and understood.  
 Avoid breathing vapors.  
 Wash hands thoroughly after handling.  
 Contaminated work clothing must not be allowed out of the workplace  
 Wear protective gloves.  
 If on skin: Wash with plenty of water  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 If exposed or concerned: Get medical advice/attention.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 If eye irritation persists: Get medical advice/attention.  
 Take off contaminated clothing and wash it before reuse.  
 Wash contaminated clothing before reuse.  
 Store locked up.  
 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

#### 2.3. Other hazards which do not result in classification

No additional information available

# RE-GEN™ Pit and Fissure Sealant

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHSUS)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
2-hydroxyethyl methacrylate	(CAS-No.) 868-77-9	> 0 - 30	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317
1-Propanone, 2-hydroxy-2-methyl-1-phenyl-	(CAS-No.) 7473-98-5	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Aquatic Chronic 3, H412
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	(CAS-No.) 75980-60-8	0.5 - 1.5	Skin Sens. 1B, H317 Repr. 2, H361f Aquatic Chronic 2, H411
Benzoic acid, 4-(dimethylamino)-, ethyl ester	(CAS-No.) 10287-53-3	0.5 - 1.5	Repr. 1B, H360 Aquatic Chronic 2, H411
Urethane dimethacrylate	(CAS-No.) 72869-86	> 0 - 70	Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317
10- Methacryloyloxydecyl dihydrogen phosphate (10-MDP)	(CAS-No.): 85590-00-7	> 0 - 20	Eye Irrit. 2, H319 Skin Sens. 1, H317
Silica, amorphous, fumed, crystalline-free	(CAS-No.) 112945-52-5 (EC-No.) 601-216-3	> 0 - 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Give artificial respiration if necessary. If you feel unwell, seek medical advice.
- First-aid measures after skin contact : Immediately rinse with plenty of water (for at least 15 minutes). Take off immediately all contaminated clothing and wash it before reuse. Get immediate medical advice/attention.
- First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Get medical advice/attention if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects : May damage fertility or the unborn child.
- Symptoms/effects after inhalation : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/effects after skin contact : Causes skin irritation. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : Causes eye irritation.
- Symptoms/effects after ingestion : May cause irritation to the digestive tract.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : None known.

### 5.2. Specific hazards arising from the chemical

- Fire hazard : On combustion, forms: carbon oxides (CO and CO<sub>2</sub>).
- Explosion hazard : No direct explosion hazard.

### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Exercise caution when fighting any chemical fire.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

# RE-GEN™ Pit and Fissure Sealant

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Protective equipment : Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. In case of inadequate ventilation wear respiratory protection.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Wear personal protective equipment. Do not breathe vapors.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Handle in accordance with good industrial hygiene and safety practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible materials : Strong acids. Strong bases.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 2-hydroxyethyl methacrylate (868-77-9)

Not applicable

##### 1-Propanone, 2-hydroxy-2-methyl-1-phenyl (7473-98-5)

Not applicable

##### Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

Not applicable

##### Benzoic acid, 4-(dimethylamino)-, ethyl ester (10287-53-3)

Not applicable

##### Urethane dimethacrylate (72869-86)

Not applicable

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Hand protection:

Impermeable protective gloves

# RE-GEN™ Pit and Fissure Sealant

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Eye protection:

Safety glasses with side shields

### Skin and body protection:

Long sleeved protective clothing

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Paste.
Color	: White to off-white
Odor	: odorless
Odor threshold	: No data available
pH	: No data available
Melting point	: < 0 °C
Freezing point	: No data available
Boiling point	: > 100 °C
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Specific gravity / density	: > 1
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

# RE-GEN™ Pit and Fissure Sealant

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: May damage fertility or the unborn child.
Specific target organ toxicity – single exposure	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity – repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Viscosity, kinematic	: No data available
Symptoms/effects	: May damage fertility or the unborn child.
Symptoms/effects after inhalation	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : This material has not been tested for environmental effects.

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not regulated

# RE-GEN™ Pit and Fissure Sealant

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Transportation of Dangerous Goods

Not regulated

### Transport by sea

Not regulated

### Air transport

Not regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### 2-hydroxyethyl methacrylate (868-77-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 1-Propanone, 2-hydroxy-2-methyl-1-phenyl (7473-98-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Benzoic acid, 4-(dimethylamino)-, ethyl ester (10287-53-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Urethane dimethacrylate (72869-86)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

#### 2-hydroxyethyl methacrylate (868-77-9)

Listed on the Canadian DSL (Domestic Substances List)

#### 1-Propanone, 2-hydroxy-2-methyl-1-phenyl (7473-98-5)

Listed on the Canadian DSL (Domestic Substances List)

#### Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide (75980-60-8)

Listed on the Canadian DSL (Domestic Substances List)

#### Benzoic acid, 4-(dimethylamino)-, ethyl ester (10287-53-3)

Listed on the Canadian DSL (Domestic Substances List)

#### Urethane dimethacrylate (72869-86)

Listed on the Canadian DSL (Domestic Substances List)

### EU-Regulations

### National regulations

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 18 June 2021

# RE-GEN™ Pit and Fissure Sealant

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

Full text of H-phrases:

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H360	May damage fertility or the unborn child

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*